



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI [?] [Sign In] [Register]

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search PubMed for (anion exchanger) and (DNA or RNA or nucleic) Preview Go Clear

☒ Limits Preview/Index History Clipboard Details

Limits: only items with links to free full text, only items with links to full text,
Publication Date to 2003/11

Query #1 deleted

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Search

Most Recent Queries

Time Result

#10 Search (anion exchanger) and (DNA or RNA or nucleic) 13:27:32 122

Limits: only items with links to free full text, only items with
links to full text, Publication Date to 2003/11

#9 Search (anion exchanger) and (DNA or RNA or nucleic) 13:24:53 333

#8 Search (anion exchanger) and linker 13:24:29 8

#7 Search (anion exchanger) 13:24:24 2548

#6 Search Seligson, David[author] 13:23:49 56

Clear History

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

Apr 30 2007 04:56:27

Google

(anion exchanger) and (DNA or RNA or nucleic)

Search

Advanced Search
Preferences

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 62,500 for (anion exchanger) and (DNA or RNA or nucleic) and bead and linker. (0.1

Enhancing the catalytic repertoire of nucleic acids: a systematic ...

Thus RNA and DNA appear to lack the acid and base functionalities close to This crude mixture was purified by anion exchange chromatography on ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=31265 - [Similar pages](#)

Construction and selection of bead-bound combinatorial ...

However, aptamers selected from combinatorial RNA and DNA libraries have generally had impurities by anion-exchange chromatography on a Mono Q column. ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=137987 - [Similar pages](#)

[More results from www.pubmedcentral.nih.gov]

[PDF] Enhancing the catalytic repertoire of nucleic acids: a systematic ...

File Format: PDF/Adobe Acrobat

libraries of single-stranded DNA or RNA. The technique has layer was subjected to purification by anion exchange chroma- ...

nar.oxfordjournals.org/cgi/reprint/29/7/1565.pdf - [Similar pages](#)

Surface for collection and/or purification of nucleic acids ...

A method according to claim 14, wherein the nucleic acids are DNA or RNA. ... and include "Qiagen" and "Wizard" and other anion exchange based matrices. ...

www.freepatentsonline.com/20040152085.html - 47k - [Cached](#) - [Similar pages](#)

Simplified methods for isolating nucleic acids from cellular ...

[0036] Nucleic acid--A polynucleotide can be DNA, RNA or a synthetic DNA Unlike conventional anion-exchange resins containing DEAE and PEI groups, ...

www.freepatentsonline.com/20050106602.html - 67k - [Cached](#) - [Similar pages](#)

[More results from www.freepatentsonline.com]

[PDF] Peptide nucleic acids on microarrays and other biosensors

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The hybridization of DNA or RNA targets to PNA-probes cleotide analogs by anion-exchange chromatography at high pH. Anal. Biochem. 235, 239-241 ...

www.dkfz.de/funct_genome/PDF-Files/TrendBiotech-22-2004-617.pdf - [Similar pages](#)

Faculty of Biological Sciences | Facilities

These instruments are optimally setup for ion exchange separations. ... phase instruments in service for the custom synthesis of DNA and RNA oligomers. ...

www.fbs.leeds.ac.uk/facilities/facilityInfo.htm?fcode=mi - 17k - [Cached](#) - [Similar pages](#)

PLoS Biology - DNA Display I. Sequence-Encoded Routing of DNA ...

The resulting DNA/RNA heteroduplex was treated with sodium hydroxide to hydrolyze and promoting the binding of free DNA to the anion-exchange resin. ...

[biology.plosjournals.org/perlserv/?request=get-document&doi=10.1371%](http://biology.plosjournals.org/perlserv/?request=get-document&doi=10.1371%2Fjournal.pbio.0020173)

2Fjournal.pbio.0020173 - [Similar pages](#)

Efficient purification of adenovirus - US Patent 6586226

A significant decrease in the magnitude of the nucleic acid peak eluting after ... Expanded

Bead Adsorption anion exchange pre-column (Pharmacia, Uppsala, ...

www.patentstorm.us/patents/6586226-description.html - 52k - [Cached](#) - [Similar pages](#)

Google

Search

[Advanced Search](#)
[Preferences](#)Try uppercase "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 31 - 40 of about 146,000 for **(anion exchanger) and (DNA or RNA or nucleic) and bead.** (0.13 second)

Purification of plasmids by triplex affinity interaction ...

Chromosomal **DNA** fragments and **RNA** are especially difficult to separate from plasmids due to Fractions collected were analyzed by **anion exchange** HPLC. ...
nar.oxfordjournals.org/cgi/content/full/26/19/4524 - [Similar pages](#)

[PDF] 4.6.3 Applications; 4.6.3.6 Pre-purification and recovery of ...

File Format: PDF/Adobe Acrobat

to glass **beads**. removal of protein and small. **RNA** from **DNA**; removal of ... Separation range of solid-phase extraction on **anion-exchange** basis. ...
www.springerlink.com/index/mxlymygtk9dlvtm.pdf - [Similar pages](#)

[PDF] A new hybridocytochemical method based on mercurated **nucleic acid** ...

File Format: PDF/Adobe Acrobat

tography of mercurated **DNA** and **RNA**, 400 gg calf thymus **DNA**. respectively yeast **RNA** was Simpson RB (1967) Kinetics of **anion exchange** between methyl ...
www.springerlink.com/index/P1R412L7324V85Q8.pdf - [Similar pages](#)

USB - Product - PrepEase® Giga Plasmid Kit

The plasmid **DNA** becomes bound to the **anion-exchange** resin and is then eluted ... the basis for the entire line of USB **nucleic acid** purification products. ...
www.usbcorporation.com/category.asp?cat=176&id=78720&special=203 - 18k -
[Cached](#) - [Similar pages](#)

Quick, Clean Plasmid Purification: From Mini To Giga - Biocompare ...

Simple protocols and **anion-exchange** resin allow you to purify plasmid **DNA** at a ... create cleared cell lysate with minimal genomic **DNA** and **RNA** contaminants. ...
www.biocompare.com/featurearticle.asp?articleid=691 - 44k - [Cached](#) - [Similar pages](#)

DNA Purification - New Technologies - Biocompare Buyer's Guide

Jan 15 2007 - Norgen's innovative **RNA/DNA/Protein** Purification Kit is a ... but the isolated **DNA** is as pure as **DNA** obtained by **anion exchange** columns. ...
www.biocompare.com/archive.asp?headerid=1403&contenttypeid=11&pagetypeid=7 - 64k -
[Cached](#) - [Similar pages](#)
[[More results from www.biocompare.com](http://www.biocompare.com)]

[PDF] Peptide **nucleic acids** on microarrays and other biosensors

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The hybridization of **DNA** or **RNA** targets to PNA-probes cleotide analogs by **anion-exchange** chromatography at high pH. Anal. Biochem. 235, 239-241 ...
www.dkfz.de/funct_genome/PDF-Files/TrendBiotech-22-2004-617.pdf - [Similar pages](#)

[PDF] Mobius 1000 Plasmid Kits for convenient isolation of ultrapure ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

capacity **anion exchange** support comprised. of porous methacrylate **beads** of ... teins, **RNA** and single stranded **DNA**. Plasmid **DNA** is then eluted with high salt ...
www.emdbiosciences.com/docs/NDIS/inno11-000.pdf - [Similar pages](#)

BIOS 311 Study Guide

Anion exchange. Prepare for creating and running a salt gradient for ... Other absorbing substances present, such as **DNA** and **RNA** in crude homogenates ...

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 2,360 for (cleaving or cleavable or cleave) and

All Results

[J Monforte](#)

[D Pollart](#)

[T Shaler](#)

[C Becker](#)

[N Kameda](#)

**Two-step affinity chromatography. Model systems and an example using biotin-
avidin binding and a ... - all 6 versions »**

WC Lin, TH Morton - The Journal of Organic Chemistry, 1991 - pubs.acs.org
... Using Biotin-Avidin **Binding** and a Fluoridolizable **Linker** ... pair of sequential
step:specific **binding** of a ... specific **cleaving** agent to sever the tether that is ...
Cited by 1 - [Related Articles](#) - [Web Search](#)

Cleavable labels for use in binding assays - all 2 versions »

N Kameda, GL Rowley - US Patent 4,780,421, 1988 - Google Patents
... ie, wherein the cleavable bond conjugates the **linker** to one ... to obtain a solubilized
complex, **cleaving** the detectable ... at least one bond **cleavable** under conditions ...
Cited by 11 - [Related Articles](#) - [Web Search](#)

Methods for detecting a plurality of analytes by chromatography

A Chenna, TJ Matray, VS Hernandez, H Hooper, S ... - 2003 - freepatentsonline.com
... the analyte of interest such as a specific **binding** pair member ... a solution that contains
a tagged probe with a **cleavable linker** or a **cleavage**-inducing moiety ...
[Cached](#) - [Web Search](#)

Tag cleavage for detection of nucleic acids

S Singh, EF Ullman, BI Rowland - 2003 - freepatentsonline.com
... [0020] Similarly, the tag through the **cleavable linker** may be ... of the **cleavable** linkage,
the **cleavable** linkage may ... where the probe can undergo **cleavage** in the ...
[Cached](#) - [Web Search](#)

**Multiplexed analysis by chromatographic separation of molecular tags - all 3
versions »**

A Chenna, T Matray, V Hernandez, H Hooper, S Singh - 2003 - freepatentsonline.com
... 2 illustrates the use of a symmetrical bis-amino alcohol **linker** as the ... produces an
active species that is capable of **cleaving** a **cleavable** linkage, preferably ...
[Cached](#) - [Web Search](#)

**C-terminal opening mimics' inside-out' activation of integrin alpha 5 bold beta - all 8
versions »**

J Takagi, HP Erickson, TA Springer - Nature Structural Biology, 2001 - nature.com
... site was expressed and compared with the **cleavable** clasped version ... 5 and 1 extracellular
sequences, a TEV **cleavage** site with flanking **linker** segments and ...
Cited by 116 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Detection of nucleic acid sequences by cleavage and separation of tag-containing
structures - all 3 versions »**

A Chenna, V Xiao, S Singh - 2004 - freepatentsonline.com
... attached to (N).sub.k by a phosphate **linker**. ... The **cleavage** or exchange of electrophoretic
probe (222) causes ... moiety can be adjacent to the **cleavable** linkage, L ...
[Cached](#) - [Web Search](#)